



DUIT™ Electrical/Utility

Plastic Pipe Cements, Primers, Cleaners & Accessories

PRICE LIST
 Prices subject to change without notice
Effective May 15, 2016



The information on this Price List is a brief description only. The Buyer/User should contact Weld-On® or a local distributor to get full detailed information. Possession of this Price List shall not be construed as an offer to sell the products listed.

Low VOC PVC Solvent Cements

WELD-ON® NUMBER & PRODUCT DESCRIPTION	STOCK NUMBER	SIZE	UNITS/CASE	LBS./CASE	CU. FT./CASE	LIST PRICE/UNIT
400™ "DUIT" CLEAR Regular bodied , fast setting cement for all PVC electrical conduit or any non-pressure PVC application through 8". Complies with NEMA and UL specifications. 3 year shelf life	12080	Gal	6	52	1.07	\$ 83.70
	12081	Qt	12	27	0.67	\$ 23.55
	12082	Pt	12	14	0.36	\$ 15.15
	12083	1/2 Pt	24	15	0.37	\$ 9.25
413™ "DUIT" CLEAR Medium bodied , fast setting cement for all PVC electrical conduit or any non-pressure PVC application through 8". Complies with NEMA and UL specifications. 3 year shelf life	12084	Gal	6	52	1.07	\$ 99.70
	12085	Qt	12	27	0.67	\$ 28.00
	12086	Pt	12	14	0.36	\$ 17.25
	12087	1/2 Pt	24	15	0.37	\$ 10.30
413™ "DUIT" GRAY Medium bodied , fast setting cement for all PVC electrical conduit or any non-pressure PVC application through 8". Complies with NEMA and UL specifications. 3 year shelf life	12088	Gal	6	52	1.07	\$ 99.70
	12089	Qt	12	27	0.67	\$ 28.00
	12090	Pt	12	14	0.36	\$ 17.25
425™ FLEX "DUIT" BLUE Medium bodied , extremely fast setting cement for all rigid/flexible PVC electrical conduit or any non-pressure PVC application through 8". Complies with NEMA and UL specifications. 3 year shelf life	12091	Gal	6	53	1.07	\$ 118.20
	12092	Qt	12	27	0.67	\$ 32.60
	12093	Pt	12	14	0.36	\$ 18.70
427™ "DUIT" CLEAR Medium bodied , very fast setting cement for temperatures ranging from -15°F to 110°F. For all PVC electrical conduit or any non-pressure PVC applications through 8". Complies with NEMA and UL specifications. 3 year shelf life	12737	Qt	12	28	0.67	\$ 31.65
	12738	Pt	12	14	0.36	\$ 19.55
411™ "DUIT" GRAY Heavy bodied , medium setting cement for all PVC electrical conduit or any non-pressure PVC application through 12". Complies with NEMA and UL specifications. 3 year shelf life	12113	Gal	6	55	1.07	\$ 135.65
	12096	Qt	12	28	0.67	\$ 36.45
	12097	Pt	12	14	0.36	\$ 22.85

* Duit 400, 413, 425 and 427 for PVC up to 8" non-pressure, Duit 411 up to 12" non-pressure.

Low VOC Primers and Cleaners

WELD-ON® NUMBER & PRODUCT DESCRIPTION	STOCK NUMBER	SIZE	UNITS/CASE	LBS./CASE	CU. FT./CASE	LIST PRICE/UNIT
P-68™ Purple Primer PURPLE Quality primer essential for proper softening and preparation of PVC and CPVC pipe and fitting surfaces. 3 year shelf life	10208	Gal	6	49	1.07	\$ 94.00
	10210	Qt	12	25	0.67	\$ 31.20
	10212	Pt	12	13	0.36	\$ 18.70
	10214	1/2 Pt	24	14	0.37	\$ 10.15
	10216	1/4 Pt	24	7	0.22	\$ 7.45
P-68™ Clear Primer CLEAR Quality primer essential for proper softening and preparation of PVC and CPVC pipe and fitting surfaces. 3 year shelf life	10207	Gal	6	49	1.07	\$ 94.00
	10209	Qt	12	25	0.67	\$ 31.20
	10211	Pt	12	13	0.36	\$ 18.70
	10213	1/2 Pt	24	14	0.37	\$ 10.15
	10215	1/4 Pt	24	7	0.22	\$ 7.45
PC-64™ Primer-Conditioner PURPLE For surface preparation of PVC and CPVC pipe and fittings before bonding with solvent cements. 3 year shelf life	10871	Gal	6	47	1.07	\$ 86.55
	10872	Qt	12	25	0.67	\$ 29.85
	10873	Pt	12	12	0.36	\$ 18.10
	10874	1/2 Pt	24	13	0.37	\$ 9.70
	10875	1/4 Pt	24	7	0.22	\$ 6.50
C-65™ Cleaner CLEAR For removal of oil and grease from the surfaces of PVC, CPVC, ABS and STYRENE pipe and fittings for bonding. Recommended for use before priming of pipe and fittings.	10200	Gal	6	46	1.07	\$ 72.50
	10201	Qt	12	24	0.67	\$ 22.70
	10202	Pt	12	12	0.36	\$ 15.45
	10203	1/2 Pt	24	13	0.37	\$ 8.85
	10204	1/4 Pt	24	7	0.22	\$ 5.95



DUIT™ Solvent Cement Series



Half Clamps



**Galvanized or Aluminum
Base Roof Flashing for
1/2" - 3" Solar Applications**








**Electrical Mast
Roof Flashing**

Pipe / Conduit Support Clamps & Roof Penetration Flashings

WELD-ON® NUMBER & PRODUCT DESCRIPTION	STOCK NUMBER	SIZE	UNITS/CASE	LBS./CASE	CU. FT./CASE	LIST PRICE/UNIT
Half clamps Plastic half clamp preloaded with nail. Supports conduit, copper, PEX tubing. Impact-resistant to 0°F (-18°C).	82850	½" CTS (50/bag)	2000	22	0.872	\$ 0.093
	82855	¾" CTS (50/bag)	1000	14	0.800	\$ 0.124
	82860	1" CTS (50/bag)	500	13	0.841	\$ 0.27
	82840	½" CTS (5/bag)	10	1	0.083	\$ 2.30
	82845	¾" CTS (5/bag)	10	1	0.083	\$ 2.45
Galvanized base roof flashings 24-gauge galvanized base with elastomer collar. Fits any roof pitch to 45°. Tested for ultraviolet, ozone and weather resistance.	81850	8 ¾" x 12 ½" base for 1 ¼" or 1 ½" pipe/tubing	20	19	1.270	\$ 17.65
	81855	8 ¾" x 12 ½" base for 2" pipe/tubing	20	18	1.270	\$ 18.70
	81860	10 ¾" x 14 ½" base for 3" pipe/tubing	20	26	1.780	\$ 20.35
	81870	8 ¾" x 12 ½" base for ½", ¾" or 1" pipe/tubing	20	26	1.270	\$ 16.95
	81879	18" x 18" base for ½", ¾" or 1" pipe/tubing	15	34	2.590	\$ 28.85
Aluminum base roof flashings 25 mil aluminum base with elastomer collar. Fits any roof pitch to 45°. Tested for ultraviolet, ozone and weather resistance.	81916	8 ¾" x 12 ½" base for ½", ¾" or 1" pipe/tubing	20	20	1.180	\$ 17.90
	81935	18" x 18" base for 4" pipe/tubing	15	16	2.560	\$ 35.95
Electrical mast roof flashing Constructed of durable EPDM rubber, split-boot, one piece design flashing eliminates the guess work of cutting and sealing standard flashing and the need to unhook power lines. Base is reinforced with strong, rigid galvanized mesh.	81746	0 to 3 ¾"	15	17	15.365	\$ 52.50

Applicators and Accessories

WELD-ON® NUMBER & PRODUCT DESCRIPTION	ILLUSTRATION	STOCK NUMBER	SIZE	UNITS/CASE	LBS./CASE	CU. FT./CASE	LIST PRICE/UNIT
PB-1 Plastic Handle Brush Fits standard pint and quart cans.		12121	1"	25	3	0.20	\$ 9.30
Can-Tote Cement and Primer Carrier For carrying pint and quart size cans.		14147*	N/A	6	3.6	0.49	\$ 19.00
		12891	N/A	24	14	1.81	\$ 17.50
Cap Dauber DH fits ¼ and ½ pint cans. DP fits ½ pint and pint cans. DQ fits quart cans.							
DH-38 - ⅜" for Flowguard Gold® - ¼ and ½ Pint		13199	3/8"	50	1.5	0.20	\$ 1.20
DP-50 - ¾" for Flowguard Gold® - Pint		10003	3/4"	50	1.5	0.20	\$ 1.20
DP-75 - ¾" for pipe diameter up to 1½"		10004	3/4"	50	1.5	0.20	\$ 1.20
DP-150 - 1½" for pipe diameter up to 3"		10005	1 1/2"	50	1.5	0.20	\$ 1.30
DQ-50 - ½" for Flowguard Gold® - Quart		11831	1/2"	50	1.5	0.20	\$ 1.20
DQ-75 - ¾" for pipe diameter up to 1½"		12429	3/4"	50	1.5	0.20	\$ 1.20
DQ-150 - 1½" for pipe diameter up to 3"		10006	1 1/2"	50	1.7	0.20	\$ 1.30
SuperDauber™ Adjustable Plastic Applicator With Telescoping Stem; fits ½ pint, pint and quart cans.							
SuperDauber-75 - ¾" for pipe diameter up to 1½"		10832	3/4"	50	2	0.20	\$ 5.15
SuperDauber-150 - 1¼" for pipe diameter up to 3"		10833	1 1/4"	50	2	0.20	\$ 5.15
SuperSwab™ A sturdy easy-to-grip 4" swab for pipe diameter from 4" through 8". Adjustable length and dual cap design that fits quart and gallon containers. The swab tip is disposable and swab handle is reusable.							
SuperSwab (swab and handle included)		14108	4"	12	3.5	.93	\$ 17.50
SuperSwab - bulk pack		14111	4"	24	4	.93	\$ 14.60
Replacement swab (4 swabs per bag)		14109	4"	3 bags	3.5	.20	\$ 27.50
Replacement swabs - bulk pack		14112	4"	24	4	.93	\$ 5.40

Applicators and Accessories

WELD-ON® NUMBER & PRODUCT DESCRIPTION	ILLUSTRATION	STOCK NUMBER	SIZE	UNITS/CASE	LBS./CASE	CU. FT./CASE	LIST PRICE/UNIT
Professional Hand Cleaner Wipes An advanced strong hand cleaner wipe for removing residual solvent cements (PVC, CPVC, ABS), primers and sealants from hands, tools and equipment. Also removes dirt, oil, grease and much more. (72 wipes/container)		12762	Container	6	14	0.76	\$ 49.10

The information on this Price List is a brief description only. The Buyer/User should contact Weld-On Adhesives Inc., or a local distributor to get full detailed information. Possession of this Price List shall not be construed as an offer to sell the products listed.

TERMS OF SALE: 2% 10th Prox., Net 30 days.

MINIMUM ORDER: \$100.00 Net.

FREIGHT TERMS: Weld-On will pay freight to one destination within the United States on Weld-On orders meeting a minimum of \$1,000.00 net. Shipper reserves the right to choose the method of shipment and choice of routing. Not applicable to international orders.

RETURNED GOODS: Weld-On will not accept returned merchandise without prior authorization for RGA Number, which must be displayed on the outside of the shipping carton and packing slip. Authorized returns must be in full case quantities, shipped prepaid and are subject to a 25% Restocking Fee. Weld-On will not accept merchandise that has been discontinued or Merchandise with less than half of the shelf life remaining.

STANDARD PACKAGING: We reserve the right to increase orders for less than standard packaging to minimum standard packaging quantities.

WARRANTY: Weld-On Adhesives, Inc., warrants to all original purchasers of Weld-On products that all new Weld-On products shall be of good quality and free from defects in material and workmanship for the product's shelf life. If any Weld-On product becomes defective, or fails to conform to this written limited warranty under normal use and storage conditions, and if the original purchaser complies with the terms of this limited warranty, then Weld-On will, without charge, replace the nonconforming product.

This limited warranty shall extend to all products manufactured and sold by Weld-On. However, this limited warranty shall not extend to, nor shall Weld-On be responsible for, damages or loss resulting from accident, misuse, negligent use, improper application, or incorporation of Weld-On products into other products. In addition, any repackaging of Weld-On products also shall void the limited warranty provided herein.

Any defective Weld-On products shall be replaced pursuant to the terms of this limited warranty by returning the defective product, with transportation charges prepaid, to Weld-On at the following address:

Weld-On Adhesives, Inc.
 Attn: Customer Service
 455 West Victoria Street
 Compton, CA 90220

Any implied warranty in connection with any Weld-On product hereby is limited in duration to the period of this limited warranty. Weld-On shall not be responsible for, nor does this limited warranty extend to, consequential damage, or incidental damage or expense, including without limitation, injury to persons or property or loss of use. This limited warranty is in lieu of all other express warranties of Weld-On, and Weld-On does not assume, nor does it authorize any person to assume on its behalf, any other obligation or liability.



455 W. Victoria Street, Compton, CA 90220 U.S.A.

Tel: 310.898.3300 • Fax: 310.898.3392

Customer Service: 800.888.8312

www.weldon.com

Lit. #230112 ©2016 WELD-ON 05-2016 IC

